

**Review Article****A Comprehensive Overview of *Celastrus paniculatus* Seed Oil Intended for the Management of Human Ailments**

Dwivedi Vaibhav and Maurya Harikesh*

Associate Professor, Hygia Institute of Pharmaceutical Education and Research, Lucknow, Uttar Pradesh, India

ARTICLE INFO:**Article history:**

Received: 30 March 2018

Received in revised form:

10 May 2016

Accepted: 12 May 2016

Available online: 30 June 2018

Keywords:*Celastrus paniculatus*,

Mahogany,

Alkaloids,

Brain- tonic,

Abortifacient.

Abstract

Celastrus paniculatus belonging to the family Celastraceae generally known as the black oil plant or Malkangani or Jyotishmati. The scrambling through a yellowish corky bark, climbing poly gamodioecious category of shrub requires support to climbs up and distributed almost all over India at the altitude of 2000 m. The seeds are also reported as anxiolytic and anticonvulsant properties, while the root and its bark considered being useful for the treatment of malaria, cancer, and brain- tonic. Plant of Jyotishmati are broadly used in the Ayurvedic system of the medicine to cure many diseases such as; appetizer, aphrodisiac, arthritis, asthma, antipyretic, amenorrhea, anti-inflammatory, acrid, arthralgia, beriberi, cardiogenic, diuretic, diaphoretic, depression, emollient, skin-diseases, paralysis, thermogenic, intellect-promoting, emetic, expectorant, leprosy, leucoderma, cephalalgia, nephropathy, abdominal disorders, sores abortifacient, and treatment of the snake bite. These plants are naturally used in the treatment of vaginal discharge, a sensation of burning, blood purification after delivery, menstruation cycle, and abortion. The seed oil contains steroid alkaloids and bright natural coloring matter, celapanine, celapanigine, celapagine, celastrine, and paniculatine are the important alkaloids. It contains the fatty acid it's in founding; oleic acid (54.42%), palmitic acid (20.0%), linoleic acid (15.51%), and stearic acid (4.18%). The sesquiterpene alkaloids are derived from a new sesquiterpene (celapanol) which is alternately esterified by acetic, benzoic, nicotinic, and β - furoic acids.

Introduction

Celastrus paniculatus Wild. belonging to family Celastraceae is generally known as black oil plant (Malkangani). It is important medicinal plant the ability to improve memory, that having large woody climber (called a climbing shrub) scrambling with a yellow corky bark, shrub are climbing poly gamodioecious category requires support or grown a nearby tree, climbs up to over 10 m. It distributed almost all over India up to an altitude of 2000 m in the subtropical Himalaya region¹.

The stem is approximately 23 cm in diameter which a covered with lenticels, alternate, oblong and elliptic leaves; paniculate is a type of inflorescence with unisexual flowers². The leaves of Malkangani are broadly ovate shape in nature. The flowers are yellowish green, unisexual, borne in terminal, pendulous panicles (flowering throughout the year). The fruit is the capsule, globose, 3-valved, 3-celled, 3 to 6 seeded; seeds are enclosed in the complete red arillus, ovoid, and brown (Fig. 1)³.



Fig.1:- *Celastrus paniculatus* Wild. ssp. *angladeanus* SJ. Britto, B. Mani and S. Thomas. **A:** The plant habit with young fruits. **B:** Flowering branchlets. **C:** Close-up of flowers. **D:** An Inflorescence with bracts. **E:** An Infructescence. **F:** Close-up of a capsule. **G:** Capsule with seeds²².

Source: <https://www.researchgate.net/publication/318882459/figure/fig2/AS:525142481739778@1502215132942/Celastrus-paniculatus-Willd-ssp-angladeanus-SJ-Britto-B-Mani-S-Thomas-A-The.png>.

Celastrus paniculatus plant is broadly used in the Ayurvedic system of medicine to cure many diseases such as leprosy, skin diseases, asthma, depression, fever, paralysis, and arthritis⁴. *Celastrus paniculatus* is one of such classical plant which is being used by the tribal people from different regions of India. *Celastrus paniculatus* would be collected in the month of October-November from Himalayan region. *Celastrus paniculatus* would be collected in the month of October-November from Himalayan region. It is a native of the Indian continent but is known to grow wild in Indonesia, Laos, Maharashtra, Orissa, and Andaman Nicobar group of Islands^{5,6}.

Celastrus paniculatus is used to treat diseases like burning sensation, delivery before blood purification, inducing menstruation and abortion. Root, leaves, bark, and seeds oil are used against various diseases⁷. The seeds reported as a sedative, anxiolytic and anticonvulsant properties, while the root and bark considered being useful in the treatment of malaria, cancerous tumors in brain, brain- tonic, abortifacient, and taken internally for snake bite⁸.

Intellect-promoting, improve hepatitis, laxative, emetic, expectorant, aphrodisiac, cardiotoxic, diuretic, diaphoretic, febrifuge, moisturizer, leprosy, skin diseases, paralysis, migraine, arthralgia, asthma, leucoderma, antiulcer, cardiac-debility, nephropathy, dysmenorrhea^{9,10}. *Celastrus paniculatus*

seed oil is unpleasant, blistering and intellect promoting and is useful in abdominal disorders, beri-beri and reduced the rate of gastric emptying but had no effect on gastrointestinal transit¹¹.

Celastrus paniculatus oil is extracted from seeds contains alkaloids, sterols, and bright coloring substance, celapanine, celapanigine, celapagine, celastrine, and paniculatine are some of the important alkaloids is rich in oleic acid (54.42%), which is the main fatty acid in the oil, together with linoleic acid (15.51%), palmitic acid (20.0%) and stearic acid (4.18%)^{12,13}. *Celastrus paniculatus* also contains sesquiterpene like dipalmitoyl glycerol and alkaloids. Jyotishmati leaf has a good analgesic activity¹⁴.

A new sesquiterpene (ester) and three sesquiterpene alkaloids (celapanin, celapanigin, celapagin) are isolated from *Celastrus paniculatus*. The sesquiterpene alkaloids are derived from a new sesquiterpene tetra-ol (celapanol) that alternately esterified with acetic, benzoic, nicotinic and β - furoic acids¹⁵.

The components of the *Celastrus paniculatus* by formulated syrup are highly recommended for memory improvement and mental disorders. The extracts of methanolic are exhibits free-

radical scavenging properties and antioxidant effects in human non-immortalized fibroblasts¹⁶.

A new sesquiterpene categorized as in 1 α ,6 β ,8 β -triacetoxy-9 β -benzoyloxydihydro- β -agarofuran, along with the 3 known compounds (1). 1 α ,6 β ,8 α -triacetoxy-9 α - benzoyloxydihydro- β -agarofuran, (2). AngulatueoidC (3). 1 α ,6 β ,8 β ,14-tetraacetoxy-9 α -benzoyloxydihydro- β -agarofuran, was isolated from the carbon tetrachloride solution¹⁷.

The leaves of Malkangani as a good antidote for opium poisoning and contains alkaloids, glycoside, and coloring matter¹⁸. *Celastrus paniculatus* plant of leaves are need for standardization and development for Ayurvedic preparation using modern techniques of analysis¹⁹.

Botanical Aspects

Scientific Name: *Celastrus paniculatus* wild., **Family-** Celastraceae, **Species-** Paniculatus, **Kingdom-** Plantae, **Class-** Angiospermae, **Genus-** Celastrus, **Order-** Celastrales,

Synonym: Celastrus dependent

Common Name:

Hindi- Malkakni, Malkagni, Malkamni

English- Black-oil tree, Intellect tree, Climbing-staff plant.

Sanskrit- Jyotishmati, Svarnalota, Sphutabandhani

Gujarati- Malkangana

Marathi- Kangani, Malkangoni

Telugu- Teegapalleru, Teega

Bengali- Malkanjri

Malayalam- Polulavam

Tamil- Valuluvai

Kannada- Kariganne^{20,21}

Phytochemical Constituents

The phytochemical screening analysis of Leaf and seed extract of *Celastrus paniculatus* has shown in the presence of different constituents. That consist in alkaloids, glycosides, proteins & amino acids, phenolic compounds, tannins, fixed oil, carbohydrates, phenolic compounds, flavonoids, and saponins are present in only aqueous extract while Sterols and triterpenoids are present in aqueous and ethanolic extracts (Table 1)^{23,24}.

Table 1: Phytoconstituents present in different part of *C. paniculatus*.

| S.N. | Chemical constituents | Leaf | Seed |
|------|-------------------------|------|------|
| 1 | Alkaloids | + | + |
| 2 | Carbohydrates | + | + |
| 3 | Glycosides | - | + |
| 4 | Proteins & Amino acids | - | - |
| 5 | Sterols & Triterpenoids | + | + |
| 6 | Phenolic Compounds | + | + |
| 7 | Flavonoids | + | + |
| 8 | Saponins | + | + |
| 9 | Tannins | + | + |
| 10 | fixed oil | + | + |

Therapeutic Uses

Celastrus paniculatus plant of different parts used to overcome pain, local inflammations, anti-fungal etc. However, In Ayurveda recognizes used as an effective nervine tonic, sedative, and antidepressant. It's also used in the chronic debilitating diseases of the nervous system (Table 2)^{25, 26}.

Table 2: Bioactive components and therapeutic benefits of different parts of *C. paniculatus*

| Plant part | Bio-active component | Therapeutic benefits |
|------------|---|---|
| Leaves | Saponin | Shows anti-fungal and anti-microbial activity. Used in a cough and infections by decoctions of tea. |
| Root-Bark | β -sitosterol, Pristimerin, Zeylasteral, Terpenes, Zeylasterone, Celastrol. | Used in the treatment of malaria. |
| Seed | Alkaloids like Celastrine and Paniculatin, Fatty acids, Acetic acids, Benzoic acids, Sterol and tetracasanol. | Sedative and antidepressant actions, febrifugal, emetic, tranquilizer and diaphoretic properties. It is also used to treat ulcers disease, infections, and sores. |

Pharmacological Activity

The pharmacological activity of Jyotishmati, scientifically known as *Celastrus paniculatus* Wild (Celastraceae) is one of the most important medicinal plants in Ayurvedic. The *C. paniculatus* plant has shown significant pharmacological activities like anti-arthritis, hypolipidemic and antioxidant, central nervous system, antifertility, analgesic, and anti-inflammatory and cardiovascular (Table 3).

Table 3: Pharmacological activity in *Celastrus paniculatus* (seed oil)

| S.N. | Activity | Animal/ dose | Rout of administration | Pharmacology action | Reference |
|------|-------------------------|--|------------------------|--|-------------------------------------|
| 1 | Central nervous system | Rats (1 g/kg) | Oral, i.m., i.p. | Produced sedation. | Saini et al. 2012 ²⁷ |
| | | Rabbits (100mg/kg) | Oral | No sedative effect. | |
| | | mice (1g/kg) | i.p. or i.m. | Mild sedation, Reduction of movement. | |
| 2 | Antifertility | Albino rats (0.2ml/animal/48 h) | i.p. | Repair and regenerative change in testis of rats, vacuolization, depletion of germ cell and arrest of spermatogenesis. | Godkar et al. 2006 ²⁸ |
| 3 | Antifungal Activity | (Albino Rat) 5ml/kg | Oral, ointment | Showed a strong inhibitory effect. | Bidwai et al. 1990 ²⁹ |
| 4 | NSAIDs | Albino Rat (5-10 ml/kg) | i.v. | Anti-inflammation and analgesic activity. | Parcha et al. 2003 ³⁰ |
| 5 | Hypo-lipidaemic | (500mg/kg/d1-120) rabbits | Oral | Increased fecal excretion of cholesterol. | Shashank et al. 2017 ³¹ |
| 6 | Antimalarial | (Albino Rat) 10mg/kg | Root bark and stem | Highest antimalarial activity. | Pavanandt et al. 1989 ³² |
| 8 | Antibacterial | (Albino Rat) 0.4-1% v/v | Oral | Showed good antibacterial effect against microbes. | Russo et al. 2001 ³³ |
| 9 | Anti-Arthritic Activity | Wistar albino rats | Oral | Reduce arthritic progression. | Patil et al. 2007 ³⁴ |
| 10 | Antidepressant | Swiss young albino mice (50mg/kg) | Oral | Antidepressant, MAO-inhibitor activity & decrease plasma corticosterone levels. | R.Valecha et al. 2017 ³⁵ |
| 11 | Cardiovascular | (50-100 mg/kg in cat) (1 gm/kg in dog) | Oral | Gradual fall in cardiac output, bradycardia and increase in pulse pressure on isolated heart | Gaitonde et al. 1957 ²⁷ |
| 12 | Wound Healing Activity | (Swiss albino rats) 8mg/ml of 0.2% sodium alginate gel | Ointment, (leaves oil) | Screened for wound healing. | Harish et al. 2008 ⁴ |

Traditional Uses

- Celastrus paniculatus* plant are used too many different diseases and used as a powerful brain tonic, increase mental activity, minor joint pains. It is Improve memory and brain power as well as retention and recalling power appetite stimulant as well as the emetic.
- These are facilitated in overcoming physical weakness and mental confusion; played an important role in relieving asthma symptoms, reducing headaches and joint pain due to arthritis.
- Celastrus* seeds oil used to the patients suffering from forgetfulness in the dosage of one seed daily in their diet and then gradually increasing it up to 100 seeds/d.
- Ayurvedic herbal medicines are used to treat cognitive deficits in mentally retarded children. CP oil has been used to have neuroprotective and antioxidant activities^{36,37}.

Conclusion

The above information in the phytochemical screening analysis of seed and Leaf extract has shown in the presence of different constituents. That consist as; alkaloids,

glycosides, proteins & amino acids, phenolic compounds, tannins, fixed oil, carbohydrates, phenolic compounds, flavonoids, and saponins are present in only aqueous extract while Sterols and triterpenoids are present in aqueous, ethanolic extracts. The pharmacological activities of the plant used in the most important medicinal plants used in the Ayurveda. The plant has been shown in pharmacological activities like anti-arthritic, hypolipidemic and antioxidant, antifertility, analgesic, and cardiovascular.

Celastrus paniculatus is being used traditionally and several other uses are practiced in the tribal populations. *Celastrus paniculatus* seed oil has effects, i.e. improving learning and memory and antioxidant properties by decreasing the lipid peroxidation. The mechanism by which *Celastrus paniculatus* seed oil enhances cognition can be attributed at least in part to antioxidant properties.

Acknowledgement

We are thankful to the director of Hygia Institute of Pharmaceutical Education and Research, Lucknow for providing such type of facilities to do our work peacefully.

References

1. Malik J, Karan M, Dogra R. Ameliorating effect of *Celastrus paniculatus* standardized extract and its fractions on 3-nitropropionic acid induced neuronal damage in rats: possible antioxidant mechanism. *Pharmaceutical Biology* 2017;55(1):980-990.
2. Suttee A, Bhandari A, Singh CB, Sharma A. Pharmacognostical and phytochemical evaluation of *Celastrus paniculata*. *Int J of Pharmaco and Phytoche Research* 2013;4(4):227-333.
3. Harish BG, Krishna V, Santosh Kumar HS, Khadeer Ahamed BM, Sharath R, Kumara Swamy HM. Wound healing activity and docking of glycogen-synthase-kinase-3-beta-protein with isolated triterpenoidlupeol in rats. *Phytomed* 2008;15(9):763-767.
4. MAN De Silva, WTPSK Senarath. Development of a Successful Protocol for in vitro Mass Propagation of *Celastrus paniculatus* Wild. *A Val Medi Plant Trop AgriculReseach*2009;21(1):21-29.
5. Sharada M, Ahuja Ashok, Kaul MK. Regeneration of Plantlets via Callus Cultures in *Celastrus paniculatus* Wild., A Rare Endangered Medicinal Plant.*J Plant Biochemistry & Biotechnology* 2003;12(1):65-69.
6. Warintorn R, Jakkapan S, Chiranan K, Krot L, Pensak J. Skin penetration and stability enhancement of *Celastrus paniculatus* Seed Oil by 2-Hydroxypropyl- β -Cyclodextrin Inclusion Complex for Cosmeceutical applications. *Sci Pharm* 2018;86(3):33.
7. Lal D, Singh N. Mass Multiplication of *Celastrus paniculatus* An important medicinal plant under in vitro conditions using nodal segments. *Journal of American Sciences* 2010;6(7):55-61.
8. Deodhar KA, Shinde NW. *Celastrus paniculatus* Traditional uses and Ethnobotanical study. *Ind J of Adv in Plant Research* 2015;2(1):18-21.
9. Sharma M, Sahu S, Khemani N, Kaur R. Ayurvedic medicinal plants as psychotherapeutic agents. *Int J of App Bio and Pharmaceutical Technology* 2013;4(2):214-18.
10. Shivwanshi R, Gaikwad PD. Identification of best culture media from medicinal plant *Celastrus paniculatus* (Malkangni). *Agri Update* 2017;12(6):1595-8.
11. Palle S, Kanakalatha A, Kavitha CN. Gastroprotective and Antiulcer Effects of *Celastrus paniculatus* Seed Oil against Several Gastric Ulcer Models in Rats. *J Diet Suppl.* 2018;15(4):373-385.
12. Parimala S, Shashidhar GH, Sridevi CH, Jyothi V, Suthakaran R. Anti- inflammatory activity of *Celastrus paniculatus* seeds. *Int J Pharm Tech Research* 2009;1(4):1326-1329.
13. Zohera FT, Habib MR, Imam MZ, Mazumder HME, Rana MS. Comparative Antioxidant Potential of Different Extracts of *Celastrus paniculatus* Wild Seed. *S J Pharm Sci* 2010;3(1):68-74.
14. Debnath M, Biswas M, Nishteswar K. Evaluation of Analgesic Activity of Different Leaf Extracts of *Celastrus paniculatus* wild. *J of Adv Pharm Edu& Research* 2012;2(2):68-73.
15. G, Saner Sachin Y, Pawar Manohar V, Rokade Dipak L, Surana Sanjay J. Pharmacognostical Investigation and Physicochemical Analysis of *Celastrus paniculatus* Willd. Leaves. *Asian Pacific Journal of Tropical Biomedicine*2012; 2(3):1232-1236.
16. Ramammorthy R, Elavarasan PK, Suresh S, Bhojraj S. Evaluation of anxiolytic potential of *Celastrus* oil in rat models of behaviour. *Fitoterapie* 2007; 78(2):120-124
17. Wagner H, Heckel E. Struktur und stereochemie eines sesquiterpenesters und dreier sesquiterpen alkaloide von *Celastrus paniculatus* Wild. *Tetrahedron* 1975;31(16):1949-1956.
18. Younus D M, Kumar A, Bhaskaran. Humber Phytopharmacology of *Celastrus paniculatus* Anoverview. *Int Jour of Chem and Appl*2013;5(3):223-235.
19. Humber JM. The role of complementary and alternative medicine Accommodating pluralism. *The Journal of the Am Med Assoc* 2002;288(13):1655-1656.
20. Vijay R, Shukla J, Saxena R. In vitro Effect of Various Plant Growth Regulator on Micro Propagation of *Celastrus paniculatus*: An Important Medicinal Plant. *International Journal of Current Microbiology and Applied Sciences* 2016;5(12):635-643.
21. Bhanumathy M, Chandrasekar SB, Chandur Uma, Somasundaram T. Phyto-pharmacology of *Celastrus paniculatus* An Overview. *Int J of Pharmaceu Sci and Drug Research* 2010;2(3):176-181.
22. Britto S John, Mani B, Thomas S, Prabhu S.A new subspecies of *Celastrus* (Celastraceae) from the Palni hills of SouthIndia. *Taiwania* 2017;62(3):311-314.
23. Avinish DK,Waman S Nanda. Phytochemical Constituents of Leaves of *Celastrus paniculatus* Wild: Endangered Medicinal Plant. *Inter J Pharmacog and Phytochem Research* 2014;6(4):792-794.
24. Venkataramaiah CH, Rajendra Wudayagiri. Phytochemical Screening of Bioactive Compounds Present in the Seed of *Celastrus paniculatus* Role in Traditional Medicine. *Seasons. Indo Ameri J of Pharm Research* 2013;3(11):9104-9111.
25. Arora N, Rai SP. *Celastrus paniculatus*, an endangered Indian medicinal plant with miraculous cognitive and other therapeutic properties an overview. *Int J Pharm Bio Sci* 2012;3(3):290-303.
26. Gamlath CB, Gunatilaka AL, Tezuka Y, Kikuchi T, Balasubramaniam S. Quinone-methide phenolic and related triterpenoids of plants of Celastraceae further evidence for the structure of Celastranhydride. *Phytochemistry* 1990;29(10):3189-3192.
27. Saini Kamal, Chaudhary A, Sharma RK. Effect of *Celastrus paniculatus* on trace elements of cerebellum in ageing albino rats. *Ann Neurosci*2012;19(1):21-24.
28. Godkar PB, Gorden RK, Ravindram A, Doctor BP. *Celastrus paniculatus* seed oil and organic extracts attenuate hydrogen peroxide and glutamate-induced injury in embryonic rat forebrain neuronal cells. *Phytomedicine* 2006;13(1-2):29-36.

29. Bidwai PP, Wangoo D, Sharma V. Effects of polar and semipolar compounds from the seeds of *Celastrus paniculatus* on the liver and kidneys in rats. *Fitoterapia*. 1990; 61(5): 417-424.

30. Parcha V, Gahlot M, Tomar Y, Ram V. Studies on physic-chemical properties, anti-inflammatory and antimicrobial activity of *Celastrus paniculatus* seed oil. *Indian J Nat Prod* 2003;19(2):21-23.

Cite this article **Dwivedi Vaibhav and Maurya Harikesh**, A Comprehensive Overview of *Celastrus paniculatus* Seed Oil Intended for the Management of Human Ailments. **Indian J. Pharm. Biol. Res.**2018; 6(2):37-42.

All © 2018 are reserved by Indian Journal of Pharmaceutical and Biological Research

This Journal is licensed under a **Creative Commons Attribution-Non Commercial -Share Alike 3.0 Unported License**. This article can be downloaded to **ANDROID OS** based mobile.